



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

December 3, 2007

US Army Corps of Engineers
Raleigh Field Office
6508 Falls of Neuse Road, Suite 120
Raleigh, NC 27615-6814

Attn: Mr. John Thomas
NCDOT Coordinator, Division 9

Subject: **Application for Modification to Section 404 Nationwide Permit 33** for the proposed replacement of Bridge No. 416 over Beaverdam Creek on SR 2550 in Davidson County, Federal Aid Project No. BRSTP-2550(1), State Project No. 8.2604601, WBS Element: 33459.1.1.1, Division 9, TIP B-4103.

Reference: NCDOT Nationwide Permit 33 application dated April 27, 2007
Nationwide Permit 33, USACE Action ID 200701710229, issued May 22, 2007

Dear Sir:

The purpose of this submittal is to request a modification to the Section 404 Nationwide 33 Permit. The modification for the permit is for the use of a temporary work bridge. The temporary work bridge will be used to install the interior bent for the new bridge. The temporary work bridge will have one bent in the water that will be one foot wide. The width of the temporary work bridge will be 35-feet. The use of the temporary work bridge will result in <0.01 acres of temporary stream impacts. No other jurisdictional impacts will occur due to this change.

The revised design does not compromise NCDOT's compliance with the existing permit conditions. The revision has been evaluated for compliance with the avoidance/minimization criteria and are in compliance with all previous issues, including the following:

- Protected Species
- Aquatic Life passage
- FEMA compliance
- Cultural Resources.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
PROJECT DEVELOPMENT AND ENVIRONMENTAL ANALYSIS
1598 MAIL SERVICE CENTER
RALEIGH NC 27699-1598

TELEPHONE: 919-715-1500
FAX: 919-715-1501
WEBSITE: WWW.NCDOT.ORG


LOCATION:
2728 CAPITAL BLVD.
PARKER LINCOLN BUILDING, SUITE 168
RALEIGH NC 27604

Enclosed are revised permit drawing Sheets 5, 6, 7, and 9A of 9 and revised Preconstruction Notification Form. The permit drawings were revised to show the addition of a temporary work bridge. Total temporary impacts for the project are <0.03 acres.

Regulatory Approvals

Application is hereby made for the modification of the Section 404 Nationwide 33 Permit from the USACE.

A copy of this permit application will be posted on the NCDOT website at: <http://www.ncdot.org/doh/preconstruct/pe/>. If you have any questions or need additional information, please call Sara Easterly at (919) 715-5499.

Sincerely,

for Gregory J. Thorpe, Ph.D.
Environmental Management Director, PDEA

w/attachment

- Mr. Brian Wrenn, NCDWQ (2 Copies)
- Ms. Marla Chambers, NCWRC
- Ms. Marella Buncick, USFWS

W/o attachment (See permits website for attachments)

- Dr. David Chang, P.E., Hydraulics
- Mr. Mark Staley, Roadside Environmental
- Mr. Victor Barbour, P.E., Project Services Unit
- Mr. Greg Perfetti, P.E., Structure Design
- Mr. S. P. Ivey, P.E., Division Engineer
- Mr. Kent Boyer, DEO
- Mr. Jay Bennett, P.E., Roadway Design
- Mr. Majed Alghandour, P. E., Programming and TIP
- Mr. Art McMillan, P.E., Highway Design
- Mr. Scott McLendon, USACE, Wilmington
- Mr. John Conforti, PDEA Planning Engineer

USACE Action ID No. _____ DWQ No. _____

(If any particular item is not applicable to this project, please enter "Not Applicable" or "N/A".)

I. Processing

1. Check all of the approval(s) requested for this project:

- Section 404 Permit
- Section 10 Permit
- 401 Water Quality Certification
- Riparian or Watershed Buffer Rules
- Isolated Wetland Permit from DWQ
- Express 401 Water Quality Certification

2. Nationwide, Regional or General Permit Number(s) Requested: NW 23 & NW 33

3. If this notification is solely a courtesy copy because written approval for the 401 Certification is not required, check here:

4. If payment into the North Carolina Ecosystem Enhancement Program (NCEEP) is proposed for mitigation of impacts, attach the acceptance letter from NCEEP, complete section VIII, and check here:

5. If your project is located in any of North Carolina's twenty coastal counties (listed on page 4), and the project is within a North Carolina Division of Coastal Management Area of Environmental Concern (see the top of page 2 for further details), check here:

II. Applicant Information

1. Owner/Applicant Information

Name: Gregory J. Thorpe, Ph.D., Environmental Management Director
Mailing Address: North Carolina Department of Transportation (NCDOT)
Project Development and Environmental Analysis
1598 Mail Service Center
Raleigh, NC 27699-1598

Telephone Number: 919-733-3141 Fax Number: 919-733-9794
E-mail Address: gthorpe@dot.state.nc.us

2. Agent/Consultant Information (A signed and dated copy of the Agent Authorization letter must be attached if the Agent has signatory authority for the owner/applicant.)

Name: _____
Company Affiliation: _____
Mailing Address: _____

Telephone Number: _____ Fax Number: _____
E-mail Address: _____

III. Project Information

Attach a **vicinity map** clearly showing the location of the property with respect to local landmarks such as towns, rivers, and roads. Also provide a detailed **site plan** showing property boundaries and development plans in relation to surrounding properties. Both the vicinity map and site plan must include a scale and north arrow. The specific footprints of all buildings, impervious surfaces, or other facilities must be included. If possible, the maps and plans should include the appropriate USGS Topographic Quad Map and NRCS Soil Survey with the property boundaries outlined. Plan drawings, or other maps may be included at the applicant's discretion, so long as the property is clearly defined. For administrative and distribution purposes, the USACE requires information to be submitted on sheets no larger than 11 by 17-inch format; however, DWQ may accept paperwork of any size. DWQ prefers full-size construction drawings rather than a sequential sheet version of the full-size plans. If full-size plans are reduced to a small scale such that the final version is illegible, the applicant will be informed that the project has been placed on hold until decipherable maps are provided.

1. Name of project: Replacement of Bridge No. 416 on SR 2550 (Badin Lake Road) Over Beaverdam Creek
2. T.I.P. Project Number or State Project Number (NCDOT Only): B-4103
3. Property Identification Number (Tax PIN): _____
4. Location
County: Davidson Nearest Town: Jackson Hill
Subdivision name (include phase/lot number): NA
Directions to site (include road numbers/names, landmarks, etc.): Highway 64 West to Junction with NC 49 South to Badin Lake Lanes to Pond Street to Badin Lake Road

5. Site coordinates (For linear projects, such as a road or utility line, attach a sheet that separately lists the coordinates for each crossing of a distinct waterbody.)
Decimal Degrees (6 digits minimum): 35° 30' 42" °N 80° 06' 03" °W
6. Property size (acres): Total project length is 0.205 miles
7. Name of nearest receiving body of water: Beaverdam Creek
8. River Basin: Yadkin
(Note – this must be one of North Carolina's seventeen designated major river basins. The River Basin map is available at <http://h2o.enr.state.nc.us/admin/maps/>.)
9. Describe the existing conditions on the site and general land use in the vicinity of the project at the time of this application: Project area is located in a mostly rural community with recreational homes surrounding Badin Lake.

10. Describe the overall project in detail, including the type of equipment to be used: See cover letter
11. Explain the purpose of the proposed work: Bridge No. 416 has a sufficiency rating of 18.0 out of a possible 100 for a new structure. The bridge is considered structurally deficient and functionally obsolete. The replacement of this inadequate structure will result in safer more efficient traffic operations.
-

IV. Prior Project History

If jurisdictional determinations and/or permits have been requested and/or obtained for this project (including all prior phases of the same subdivision) in the past, please explain. Include the USACE Action ID Number, DWQ Project Number, application date, and date permits and certifications were issued or withdrawn. Provide photocopies of previously issued permits, certifications or other useful information. Describe previously approved wetland, stream and buffer impacts, along with associated mitigation (where applicable). If this is a NCDOT project, list and describe permits issued for prior segments of the same T.I.P. project, along with construction schedules. There is no prior history of jurisdictional determinations for this project.

V. Future Project Plans

Are any future permit requests anticipated for this project? If so, describe the anticipated work, and provide justification for the exclusion of this work from the current application.
There are no future permit requests anticipated for this project.

VI. Proposed Impacts to Waters of the United States/Waters of the State

It is the applicant's (or agent's) responsibility to determine, delineate and map all impacts to wetlands, open water, and stream channels associated with the project. Each impact must be listed separately in the tables below (e.g., culvert installation should be listed separately from riprap dissipater pads). Be sure to indicate if an impact is temporary. All proposed impacts, permanent and temporary, must be listed, and must be labeled and clearly identifiable on an accompanying site plan. All wetlands and waters, and all streams (intermittent and perennial) should be shown on a delineation map, whether or not impacts are proposed to these systems. Wetland and stream evaluation and delineation forms should be included as appropriate. Photographs may be included at the applicant's discretion. If this proposed impact is strictly for wetland or stream mitigation, list and describe the impact in Section VIII below. If additional space is needed for listing or description, please attach a separate sheet.

1. Provide a written description of the proposed impacts: See cover letter
-
-

2. Individually list wetland impacts. Types of impacts include, but are not limited to mechanized clearing, grading, fill, excavation, flooding, ditching/drainage, etc. For dams, separately list impacts due to both structure and flooding.

Wetland Impact Site Number (indicate on map)	Type of Impact	Type of Wetland (e.g., forested, marsh, herbaceous, bog, etc.)	Located within 100-year Floodplain (yes/no)	Distance to Nearest Stream (linear feet)	Area of Impact (acres)
None	None	None	NA	NA	None
Total Wetland Impact (acres)					0.00

3. List the total acreage (estimated) of all existing wetlands on the property: None

4. Individually list all intermittent and perennial stream impacts. Be sure to identify temporary impacts. Stream impacts include, but are not limited to placement of fill or culverts, dam construction, flooding, relocation, stabilization activities (e.g., cement walls, rip-rap, crib walls, gabions, etc.), excavation, ditching/straightening, etc. If stream relocation is proposed, plans and profiles showing the linear footprint for both the original and relocated streams must be included. To calculate acreage, multiply length X width and then divide by 43,560.

Stream Impact Number (indicate on map)	Stream Name	Type of Impact	Perennial or Intermittent?	Average Stream Width Before Impact	Impact Length (linear feet)	Area of Impact (acres)
1	Beaverdam Creek	Bridge Bent	Perennial	75 feet	36	< 0.01
1	Beaverdam Creek	Detour Bridge	Perennial	75 feet	36	< 0.01
1	Beaverdam Creek	Temp Work Bridge	Perennial	75 feet		< 0.01
Total Stream Impact (by length and acreage)						<0.03

5. Individually list all open water impacts (including lakes, ponds, estuaries, sounds, Atlantic Ocean and any other water of the U.S.). Open water impacts include, but are not limited to fill, excavation, dredging, flooding, drainage, bulkheads, etc.

Open Water Impact Site Number (indicate on map)	Name of Waterbody (if applicable)	Type of Impact	Type of Waterbody (lake, pond, estuary, sound, bay, ocean, etc.)	Area of Impact (acres)
NA	NA	NA	NA	0.00
Total Open Water Impact (acres)				NA

6. List the cumulative impact to all Waters of the U.S. resulting from the project:

Stream Impact (acres):	<0.03
Wetland Impact (acres):	
Open Water Impact (acres):	
Total Impact to Waters of the U.S. (acres)	<0.03
Total Stream Impact (linear feet):	

7. Isolated Waters

Do any isolated waters exist on the property? Yes No

Describe all impacts to isolated waters, and include the type of water (wetland or stream) and the size of the proposed impact (acres or linear feet). Please note that this section only applies to waters that have specifically been determined to be isolated by the USACE.

8. Pond Creation

If construction of a pond is proposed, associated wetland and stream impacts should be included above in the wetland and stream impact sections. Also, the proposed pond should be described here and illustrated on any maps included with this application.

Pond to be created in (check all that apply): uplands stream wetlands

Describe the method of construction (e.g., dam/embankment, excavation, installation of draw-down valve or spillway, etc.):

Proposed use or purpose of pond (e.g., livestock watering, irrigation, aesthetic, trout pond, local stormwater requirement, etc.):

Current land use in the vicinity of the pond:

Size of watershed draining to pond: _____ Expected pond surface area: _____

VII. Impact Justification (Avoidance and Minimization)

Specifically describe measures taken to avoid the proposed impacts. It may be useful to provide information related to site constraints such as topography, building ordinances, accessibility, and financial viability of the project. The applicant may attach drawings of alternative, lower-impact site layouts, and explain why these design options were not feasible. Also discuss how impacts were minimized once the desired site plan was developed. If applicable, discuss construction techniques to be followed during construction to reduce impacts. See cover letter.

VIII. Mitigation

DWQ - In accordance with 15A NCAC 2H .0500, mitigation may be required by the NC Division of Water Quality for projects involving greater than or equal to one acre of impacts to freshwater wetlands or greater than or equal to 150 linear feet of total impacts to perennial streams.

USACE – In accordance with the Final Notice of Issuance and Modification of Nationwide Permits, published in the Federal Register on January 15, 2002, mitigation will be required when necessary to ensure that adverse effects to the aquatic environment are minimal. Factors including size and type of proposed impact and function and relative value of the impacted aquatic resource will be considered in determining acceptability of appropriate and practicable mitigation as proposed. Examples of mitigation that may be appropriate and practicable include, but are not limited to: reducing the size of the project; establishing and maintaining wetland and/or upland vegetated buffers to protect open waters such as streams; and replacing losses of aquatic resource functions and values by creating, restoring, enhancing, or preserving similar functions and values, preferable in the same watershed.

If mitigation is required for this project, a copy of the mitigation plan must be attached in order for USACE or DWQ to consider the application complete for processing. Any application lacking a required mitigation plan or NCEEP concurrence shall be placed on hold as incomplete. An applicant may also choose to review the current guidelines for stream restoration in DWQ's Draft Technical Guide for Stream Work in North Carolina, available at <http://h2o.enr.state.nc.us/ncwetlands/strmgide.html>.

1. Provide a brief description of the proposed mitigation plan. The description should provide as much information as possible, including, but not limited to: site location (attach directions and/or map, if offsite), affected stream and river basin, type and amount (acreage/linear feet) of mitigation proposed (restoration, enhancement, creation, or preservation), a plan view, preservation mechanism (e.g., deed restrictions, conservation easement, etc.), and a description of the current site conditions and proposed method of construction. Please attach a separate sheet if more space is needed.

No mitigation is proposed for the minimal amount of stream impact.

2. Mitigation may also be made by payment into the North Carolina Ecosystem Enhancement Program (NCEEP). Please note it is the applicant's responsibility to contact the NCEEP at (919) 715-0476 to determine availability, and written approval from the NCEEP indicating that they are will to accept payment for the mitigation must be attached to this form. For additional information regarding the application process for the NCEEP, check the NCEEP website at <http://h2o.enr.state.nc.us/wrp/index.htm>. If use of the NCEEP is proposed, please check the appropriate box on page five and provide the following information:

Amount of stream mitigation requested (linear feet): _____
Amount of buffer mitigation requested (square feet): _____
Amount of Riparian wetland mitigation requested (acres): _____
Amount of Non-riparian wetland mitigation requested (acres): _____
Amount of Coastal wetland mitigation requested (acres): _____

IX. Environmental Documentation (required by DWQ)

1. Does the project involve an expenditure of public (federal/state/local) funds or the use of public (federal/state) land? Yes No

2. If yes, does the project require preparation of an environmental document pursuant to the requirements of the National or North Carolina Environmental Policy Act (NEPA/SEPA)?
 Note: If you are not sure whether a NEPA/SEPA document is required, call the SEPA coordinator at (919) 733-5083 to review current thresholds for environmental documentation.
 Yes No
3. If yes, has the document review been finalized by the State Clearinghouse? If so, please attach a copy of the NEPA or SEPA final approval letter. Yes No

X. Proposed Impacts on Riparian and Watershed Buffers (required by DWQ)

It is the applicant's (or agent's) responsibility to determine, delineate and map all impacts to required state and local buffers associated with the project. The applicant must also provide justification for these impacts in Section VII above. All proposed impacts must be listed herein, and must be clearly identifiable on the accompanying site plan. All buffers must be shown on a map, whether or not impacts are proposed to the buffers. Correspondence from the DWQ Regional Office may be included as appropriate. Photographs may also be included at the applicant's discretion.

1. Will the project impact protected riparian buffers identified within 15A NCAC 2B .0233 (Neuse), 15A NCAC 2B .0259 (Tar-Pamlico), 15A NCAC 02B .0243 (Catawba) 15A NCAC 2B .0250 (Randleman Rules and Water Supply Buffer Requirements), or other (please identify _____)? Yes No
2. If "yes", identify the square feet and acreage of impact to each zone of the riparian buffers. If buffer mitigation is required calculate the required amount of mitigation by applying the buffer multipliers.

Zone*	Impact (square feet)	Multiplier	Required Mitigation
1			
2			
Total			

* Zone 1 extends out 30 feet perpendicular from the top of the near bank of channel; Zone 2 extends an additional 20 feet from the edge of Zone 1.

3. If buffer mitigation is required, please discuss what type of mitigation is proposed (i.e., Donation of Property, Riparian Buffer Restoration / Enhancement, or Payment into the Riparian Buffer Restoration Fund). Please attach all appropriate information as identified within 15A NCAC 2B .0242 or .0244, or .0260. _____

XI. Stormwater (required by DWQ)

Describe impervious acreage (existing and proposed) versus total acreage on the site. Discuss stormwater controls proposed in order to protect surface waters and wetlands downstream from the property. If percent impervious surface exceeds 20%, please provide calculations demonstrating total proposed impervious level. _____

XII. Sewage Disposal (required by DWQ)

Clearly detail the ultimate treatment methods and disposition (non-discharge or discharge) of wastewater generated from the proposed project, or available capacity of the subject facility.

XIII. Violations (required by DWQ)

Is this site in violation of DWQ Wetland Rules (15A NCAC 2H .0500) or any Buffer Rules?
Yes No

Is this an after-the-fact permit application? Yes No


XIV. Cumulative Impacts (required by DWQ)

Will this project (based on past and reasonably anticipated future impacts) result in additional development, which could impact nearby downstream water quality? Yes No

If yes, please submit a qualitative or quantitative cumulative impact analysis in accordance with the most recent North Carolina Division of Water Quality policy posted on our website at <http://h2o.enr.state.nc.us/ncwetlands>. If no, please provide a short narrative description: _____

XV. Other Circumstances (Optional):

It is the applicant's responsibility to submit the application sufficiently in advance of desired construction dates to allow processing time for these permits. However, an applicant may choose to list constraints associated with construction or sequencing that may impose limits on work schedules (e.g., draw-down schedules for lakes, dates associated with Endangered and Threatened Species, accessibility problems, or other issues outside of the applicant's control).



Applicant/Agent's Signature

12.3.07

Date

(Agent's signature is valid only if an authorization letter from the applicant is provided.)

WETLAND PERMIT IMPACT SUMMARY

Site No.	Station (From/To)	Structure Size / Type	WETLAND IMPACTS						SURFACE WATER IMPACTS								
			Permanent Fill In Wetlands (ac)	Temp. Fill In Wetlands (ac)	Excavation In Wetlands (ac)	Mechanized Clearing in Wetlands (ac)	Hand Clearing in Wetlands (ac)	Permanent SW impacts (ac)	Temp. SW impacts (ac)	Existing Channel Impacts Permanent (ft)	Existing Channel Impacts Temp. (ft)	Natural Stream Design (ft)					
1	MAIN STRUCTURE¹ 17+45 -L- To 17+51 -L-	205 Ft. - 33" Box Girder															
1	DETOUR STRUCTURE² 17+00 -DET- To 19+00 -DET-	200 Ft. Detour Bridge															
1	TEMP. WORK BRIDGE³ 17+51.5 -L- To 17+88.4 -L-	Work Bridge															
TOTALS:																	



- For the main structure, there will be 1 bent with permanent surface water impacts. The pier will be 3.5 feet wide. The width of the bridge is 39 feet including the barrier rail.
- For the detour structure, it is assumed that there will be 3 bents with temporary surface water impacts. At each bent, the piers will be one foot wide. The width of the bridge is 18 feet.
- For the temporary work bridge, it is assumed that there will be 1 bent with temporary surface water impacts. The pier will be one foot wide. The width of the bridge is 35 feet.

NC DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 DAVIDSON COUNTY
 WBS - 33459.1.1 (B-4103)
 SHEET 5 of 9 REV. 11/27/07
 #####

5/14/99

REVISIONS

11/20/2007
jd-rau:198...
B:\4103\hyd.prm_psh02_wet.dgn



PROJECT REFERENCE NO. B-4103	SHEET NO. 2-B
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
Permit Drawing Sheet 6 of 9 PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
rev. 11/27/07	

NOTE: NO IMPACTS ARE SHOWN ON THIS SHEET FOR THE PROPOSED DETOUR BRIDGE BECAUSE THE LOCATION OF THE PROPOSED DETOUR BRIDGE PIERS ARE UNKNOWN. THIS WILL BE DECIDED BY THE CONTRACTOR AT THE TIME OF CONSTRUCTION. SEE THE IMPACT SUMMARY SHEET FOR IMPACT ASSUMPTIONS.



FOR -DET- PROFILE SEE SHEET 5

ENGLISH

DAVIDSON COUNTY, NC
BRIDGE No. 416 OVER
BEAVER DAM CREEK
11/20/07

DENOTES TEMPORARY FILL IN SURFACE WATER

4
HARRY A. AND ELIZABETH D. SAUNDERS





SKETCH SHOWING RELATIONSHIP OF BRIDGE TO PAVEMENT AND SHOULDERS

BEGIN BRIDGE Sta. 17+00.00

END BRIDGE Sta. 19+00.00

5/14/99



PROJECT REFERENCE NO. B-4103	SHEET NO. 2-B
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
Permit Drawing	
Sheet 7 of 9	
PRELIMINARY PLANS	
DO NOT USE FOR CONSTRUCTION	
REV. 11/27/07	

NOTE: NO IMPACTS ARE SHOWN ON THIS SHEET FOR THE PROPOSED DETOUR BRIDGE BECAUSE THE LOCATION OF THE PROPOSED DETOUR BRIDGE PIERS ARE UNKNOWN. THIS WILL BE DECIDED BY THE CONTRACTOR AT THE TIME OF CONSTRUCTION. SEE THE IMPACT SUMMARY SHEET FOR IMPACT ASSUMPTIONS.



FOR -DET- PROFILE SEE SHEET 5

ENGLISH

DAVIDSON COUNTY, NC
BRIDGE No. 416 OVER
BEAVER DAM CREEK
11/20/07


DENOTES TEMPORARY FILL IN SURFACE WATER

REVISIONS




11/20/2007
jdr-eul\gis\perm\4103-hyd-prm-ps102_wet.dgn
6:28:55 PM

BRIDGE HYDRAULIC DATA	
DESIGN DISCHARGE	= 2,000 CFS
DESIGN FREQUENCY	= 25 YRS
DESIGN HW ELEVATION	= 509.4 FT
BASE DISCHARGE	= 2,400 CFS
BASE FREQUENCY	= 100 YRS
BASE HW ELEVATION	= 510.1 FT
OVERTOPPING DISCHARGE	= 18,000 CFS
OVERTOPPING FREQUENCY	= 500+ YRS
OVERTOPPING ELEVATION	= 518.87 FT
DATE OF SURVEY = 5/17/05	
W.S. ELEVATION AT DATE OF SURVEY = 507.2 FT	



REVISIONS

11/20/2007
Hyd6638175
p:\m\mt\4103_hyd.prm.pfl.dgn



BRIDGE HYDRAULIC DATA	
DESIGN DISCHARGE	= 1100 CFS
DESIGN FREQUENCY	= 5 YRS
DESIGN HW ELEVATION	= 508.4 FT
BASE DISCHARGE	= CFS
BASE FREQUENCY	= YRS
BASE HW ELEVATION	= FT
OVERTOPPING DISCHARGE	= CFS
OVERTOPPING FREQUENCY	= YRS
OVERTOPPING ELEVATION	= FT
DATE OF SURVEY = 5/17/05	
W.S. ELEVATION AT DATE OF SURVEY = 507.2 FT	